



RESIN FOR PAINT

塗料用樹脂

ITEM NO. 製品編號	MAIN COMPONENT 主成分	FORM 外觀	SOLID CONTENT (%) 固型份	VISCOSITY (CPS) 粘度	PH 酸鹼度	M. F. T. (°C) 最低造膜溫度	MAIN USES 主要用途	SPECIAL FEATURES 特性
P-50	Acrylic Resin 壓克力樹脂	White Emulsion 白色乳液	50±1	<100	8~10	10	Binder for Exterior Semi-Gloss Water Based Paint 室外平光水泥漆用膠料	Good Brushability, Weather & Water Resistance and Pigment Miscibility 毛刷性、耐候性、耐水性及顏料相容性良好
P-57A	Acrylic Resin 壓克力樹脂	White Emulsion 白色乳液	46±1	2000±500	7~9	15	Binder for Exterior Gloss Water Based Paint 室外亮光水泥漆用膠料	High Film Gloss, Good Brushability, Weather and Water Resistance and Pigment Miscibility 皮膜光澤優，毛刷性、耐候性、耐水性及顏料相容性良好
P-57AH	Acrylic Resin 壓克力樹脂	White Emulsion 白色乳液	50±1	10000±2000	7~9	15	Binder for Exterior Gloss Water Based Paint 室外亮光水泥漆用膠料	High Film Gloss, Good Brushability, Weather and Water Resistance and Pigment Miscibility 皮膜光澤優，毛刷性、耐候性、耐水性及顏料相容性良好
P-62A	Acrylic Resin 壓克力樹脂	White Emulsion 白色乳液	55±2	2000±500	6~8	15	Binder for Exterior Gloss Water Based Paint 室外亮光水泥漆用膠料	High Solid Content, High Film Gross, Good Brushability, Water Resistance and Pigment Miscibility 高固型份，皮膜光澤優，毛刷性、耐水性及顏料相容性良好
P-60	Acrylic Resin 壓克力樹脂	White Emulsion 白色乳液	60±1	2500±500	5~7	0	Binder for Exterior Water Based Paint 室外彈性塗料用膠料	High Solid Content, Soft and Elastic Film, Good Pigment Miscibility 高固型份，皮膜柔軟，彈性佳，顏料相容性良好
P-730T	Styrene Acrylic Copolymer 苯乙烯壓克力共聚樹脂	White Emulsion 白色乳液	46±1	2000±500	7~9	15	Binder for Exterior Gloss Water Based Paint 室外亮光水泥漆用膠料	High Film Gloss, Good Brushability, Water and Water Resistance and Pigment Miscibility 皮膜光澤優，毛刷性、耐水性及顏料相容性良好
AC-5050	Vinyl Acetate Resin 醋酸乙烯樹脂	White Emulsion 白色乳液	50±1	10000±2000	2~4	12	Binder for Interior Water Based Paint 室內塗料用膠料	Good Brushability and Pigment Miscibility 毛刷性良好，顏料相容性良好

P-550S	Vinyl Acetate Acrylic Copolymer 醋酸乙炔壓克力共 聚合樹脂	White Emulsion 白色乳液	50±1	6000±2000	3~5	11	Binder for Interior and Exterior Gloss Water Based Paint 室內外亮光水泥漆用膠料	High Film Gloss, Good Brushability, Water Resistance and Pigment Miscibility 皮膜光澤優，毛刷性、耐水性及顏料相溶性良好
B-3000	Acrylic Resin 壓克力樹脂	Brown Liquid 棕色乳膠	50±1	2000±1000	6~8	-	Binder for Baking Paint 烤漆用膠料	Good Water Solubility 水溶性優良