



LEATHER CHEMICALS

皮革用樹脂

| ITEM NO. 製品編號 | MAIN COMPONENT 主成分 | FORM 外觀 | SOLID CONTENT (%) 固型份 | VISCOSITY (CPS) 粘度 | PH 酸鹼度 | M. F. T. (°C) 最低造膜溫度 | MAIN USES 主要用途 | SPECIAL FEATURES 特性 |
|------------------|---|---|--------------------------------|--------------------------|-----------|----------------------------|--|--|
| L-1740 | Self-Crosslinking Acrylic Resin 自己架橋型壓克力樹脂 | White Emulsion 白色乳液 | 40±1 | < 100 | 7~9 | 22 | Binder for Leather Finishing 皮革表面處理之膠料 | Hard Type, High Gloss, Excellent Pigment Compatibility and Leather Adhesion 硬型，高光澤，顏料相容性佳，對皮革附著力良好 |
| L-1742 | Self-Crosslinking Acrylic Resin 自己架橋型壓克力樹脂 | Slightly Yellowish Transparent Emulsion 淡黃透明乳液 | 35±1 | < 100 | 4~6 | 0 | Binder for Leather Finishing 皮革表面處理之膠料 | Soft Type, Good Solvent Resistance, Excellent Pigment Compatibility, Flexibility, Good Adhesion 軟型，耐溶劑性良好，顏料相容性佳，彈性好，對皮革附著力良好 |
| L-1743 | Self-Crosslinking Acrylic Resin 自己架橋型壓克力樹脂 | Slightly Yellowish Transparent Emulsion 微黃透明乳液 | 35±1 | < 100 | 4~6 | 0 | Binder for Leather Finishing 皮革表面處理之膠料 | Medium Soft, Excellent Water and Solvent Resistance, Pigment Compatibility, Flexibility, Leather Adhesion 中軟型，耐水性及耐溶劑性良好，顏料相容性佳，彈性好，對皮革附著力良好 |
| L-1747 | Self-Crosslinking Acrylic Resin 自己架橋型壓克力樹脂 | Slightly Yellowish Transparent Emulsion 淡黃透明乳液 | 35±1 | < 100 | 4~6 | 0 | Binder for Leather Finishing 皮革表面處理之膠料 | Soft Type, Fine Particle Size, Good Wet Rub Property and Good Solvent Resistance, Excellent Pigment Compatibility, Flexibility, Good Adhesion 軟型，粒子徑小，濕磨特性，耐溶劑性良好，顏料相容性佳，彈性好，對皮革附著力良好 |
| L-1749 | Self-Crosslinking Acrylic Resin 自己架橋型壓克力樹脂 | Yellow Transparent Emulsion 黃色透明乳液 | 12±1 | < 100 | 8~9 | 0 | Binder for Leather Re-pigment Finishing 再塗性皮革用之膠料 | Soft Type, Very Good Flexibility and Elasticity, Suitable for Repigment 軟型，富於彈性，接著力強，尤適用於色改 |